

4" 10W 6" 18W

NEXLEDS®
NEXLEDS LTD



**SENSOR
DOWNLIGHT**

**NXSM4DS-10W
NXSM6DS-18W**

5 YEARS WARRANTY

Adjustable Color Temperaturer | PIR Sensor

Product Name	SENSOR DOWNLIGHT
Model:	NXSM4DS-10W / NXSM6DS-18W
Function:	Adjustable CCT +PIR sensor
Power:	10W / 18W
Voltage:	120V 50/60Hz
Product Size:	Φ140*48mm Φ190*48mm
CRI:	>90
C.C.T.:	Adjustable CCT (3000K/4000K/5000K)
Source:	SMD2835
Detection distance:	8m
Beam Angle:	>90
LED Qty:	30pcs
Applicable Environment:	Dry Location, Damp Location
Cover Type:	Transparent PC
Color:	White
Lumen:	600-700lm / 1080-1260lm
Light Efficiency:	60-70lm/w
Working Temperature:	-20℃~+45℃

Measurement:



FEATURES:

LED source use high bright LED chip, energy saving and pro-environment, lighting stable and long lifespan.
Optical-grade PC lampshade, the light is good, anti-aging, difficult to damage.
High heat conduction aluminum alloy shell, good heat dissipation, vacuum dust-free spray, anti-corrosion, no stripping.
Radiate light protection design, won't affect the lighting effects because of weather.
Adjustable color temperature.
PIR Sensor

www.nexleds.ca Email: sales@nexleds.ca

**SURFACE
LED
DOWNLIGHT**

NEXLEDS®
NEXLEDS LTD

14.2W



Dimension:



FEATURE

- Up to 70% energy saving, compared to standard CFL.
- Long lifetime of 50,000 hours
- 90° wide beam angle.
- CCT: 3000K, 4000K, 5000K.
- No UV/IR light.
- Environment friendly, without Mercury or any other hazardous substances.



5 YEARS WARRANTY

COLOR TEMP :
3000K / 4000K/ 5000K

SPECIFICATION

PRODUCT NAME :	SURFACE LED DOWNLIGHT
MODEL NO. :	NX-USDL100-14.2W-D
RATED WATTAGE :	14.2W
VOLTAGE :	AC 120V
FREQUENCY :	60Hz
OPERATING TEMP :	-20℃~45℃
POWER FACTOR :	≥0.9
CR/IRA :	≥80
COLOR :	White color
LIGHT SOURCE :	SMD2835
LUMEN :	1150 lm±5%
LIFE TIME :	50000 hrs
BEAM ANGLE :	90°
PRODUCT SIZE :	7.91"×1.65"
INGRESS PROTECTION :	Wet location
WARRANTY :	5 Years
STANDARD :	cULus, ENERGY STAR, RoHS

Application notes

- Wet location for indoor use only.
- Professional electrician for installation only.
- Switch off before installation.
- Do not touch when in use.
- Keep away from hot steam and corrosive gas.

Application Areas

It is designed for general lighting applications in office, supermarket, shop, school, hotel, etc. It is also widely used for public areas, such as stairway, lobby, reception, corridors etc.

www.nexleds.ca Email: sales@nexleds.ca

